

RX Hydraulic Breakers

Mini Hydraulic Breakers

MODEL	Service Weight ¹		Carrier Weight Class ²		Operating Pressure		Oil Flow Rate		Impact Rate	Working Tool Diameter		Sound Power Level	Part no.
	kg	lb	t	lb	bar	psi	l/min	gpm	bpm	mm	in	dB(A)	-
RX2	94	207	1.3-3	2,900-6,600	110-130	1,600-1,890	15-30	4-9	560-1600	42	1.65	109 ³ /81 ⁴	8460 0500 38
RX3	166	329	2.1-4.5	4,600-9,900	110-140	1,600-2,030	30-50	8-13	670-1500	52	2.05	111 ³ /83 ⁴	8460 0500 39
RX4	233	470	2.9-6	6,400-13,200	110-140	1,600-2,030	35-60	9-16	520-1300	62	2.44	113 ³ /85 ⁴	8460 0500 40
RX6	284	600	4.2-9	9,300-19,800	110-140	1,600-2,030	45-75	12-20	530-1200	70	2.76	114 ³ /86 ⁴	8460 0500 41
RX8	380	816	5.2-12	11,500-26,500	120-150	1,740-2,180	60-90	16-24	530-1000	80	3.15	115 ³ /87 ⁴	8460 0500 42
RX11	550	1,210	9-15	19,800-33,100	120-150	1,740-2,180	70-100	18-26	590-1100	80	3.15	116 ³ /87 ⁴	3363 1095 21

Medium Hydraulic Breakers

MODEL	Service Weight ¹		Carrier Weight Class ²		Operating Pressure		Oil Flow Rate		Impact Rate	Working Tool Diameter		Sound Power Level	Part no.
	kg	lb	t	lb	bar	psi	l/min	gpm	bpm	mm	in	dB(A)	-
RX14	800	1,760	12-19	22,000-37,500	150-170	2,180-2,470	100-120	26-32	650-850	100	3.93	115 ³ /85 ⁴	3363 1145 61
RX18	1200	2,650	15-24	33,100-52,900	150-170	2,180-2,470	120-140	32-37	550-720	120	4.72	120 ³ /90 ⁴	3363 1052 39
RX22	1500	3,310	17-28	37,500-61,700	150-170	2,180-2,470	140-160	37-42	520-680	135	5.31	122 ³ /93 ⁴	3363 1149 51

Heavy Hydraulic Breakers

MODEL	Service Weight ¹		Carrier Weight Class ²		Operating Pressure		Oil Flow Rate		Impact Rate PowerStop Plus	Impact Rate EasyPower Plus	Working Tool Diameter		Sound Power Level	Part no.
	kg	lb	t	lb	bar	psi	l/min	gpm	bpm	bpm	mm	in	dB(A)	-
RX26	1800	3,970	20-33	44,100-72,800	150-170	2,180-2,470	130-180	34-48	380-650	400-800	140	5.51	122 ³ /92 ⁴	3363 1123 91
RX30	2200	4,850	25-40	55,100-88,200	150-170	2,180-2,470	150-200	40-53	380-620	450-800	150	5.90	122 ³ /93 ⁴	3363 1124 31
RX38	2600	5,732	29-46	64,000-101,500	160-180	2,320-2,610	180-220	48-58	380-590	530-800	155	6.11	124 ³ /94 ⁴	3363 1126 06
RX46	3000	6,610	35-55	63,900-101,400	160-180	2,320-2,610	220-270	58-71	380-580	540-800	165	6.50	124 ³ /95 ⁴	3363 1138 76
RX54	4200	9,260	45-70	88,200-154,300	160-180	2,320-2,610	250-320	66-85	380-570	550-800	180	7.09	126 ³ /96 ⁴	3363 1138 38

¹ Breaker and breaker box with standard adapter plus working tool.

² Weights apply to standard carriers only. Any variances must be approved by Chicago Pneumatic and/or the carrier manufacturer prior to attachment.

³ Sound power level guaranteed.


⁴ Sound pressure level (r=10m)

Important: EN ISO 3744 in accordance with directive 2000/14/EC. Full details of measurement are available in the Safety and Operating Instructions for the product.



RX Hydraulic Breakers

Carrier Classes





Original Parts

make your breaker even more effective.

Chicago Pneumatic tools are manufactured to the highest quality standards with full control of that process. All tools are made from a nickel-chrome alloy that has been optimized for breaking applications. Each tool is precision formed and temper hardened for excellent wear resistance.

Working Tools

MODEL	Working Length		Total Length		Moil Point (Conical)	Chisel (Cross)	Blunt Tool
	mm	in	mm	in	Part no.	Part no.	Part no.
RX2	265	10.43	425	16.73	4211 1050 01	4211 1050 02	4211 1050 03
RX3	320	12.60	530	20.87	4211 1051 01	4211 1051 02	4211 1051 03
RX4	350	13.78	590	23.23	4211 1052 01	4211 1052 02	4211 1052 03
RX6	380	14.96	665	26.18	4211 1053 01	4211 1053 02	4211 1053 03
RX8	415	16.34	745	29.33	4211 1054 01	4211 1054 02	4211 1054 03
RX11	390	15.35	745	29.33	4211 1054 01	4211 1054 02	4211 1054 03
RX14	495	19.49	895	35.24	4211 1055 38	4211 1055 39	4211 1055 36
RX18	540	21.26	995	39.17	4211 1055 33	4211 1055 34	4211 1055 31
RX22	565	22.24	1050	41.34	4211 1055 27	4211 1055 28	4211 1055 25
RX26	585	23.03	1115	43.90	4211 1055 03	4211 1055 04	4211 1055 01
RX30	590	23.23	1225	48.23	4211 1055 09	4211 1055 10	4211 1055 07
RX38	615	24.23	1270	50	4211 1055 59	4211 1055 60	4211 1055 57
RX46	670	26.38	1365	53.74	4211 1055 15	4211 1055 16	4211 1055 13
RX54	735	28.94	1500	59.06	4211 1055 21	4211 1055 22	4211 1055 19

Chisel Paste

DESCRIPTION	Size	Part no.
Chisel paste cartridge for CP-Lube	30 x 500 g	3363 0949 10